

# SAFETY DATA SHEET PRODUCT

This Safety Data Sheet conforms to EC Directive 91/155/EEC or as subsequently amended.

Delphi Lockheed Automotive Limited urges the recipient of this Safety Data Sheet to study it carefully, to become aware of the hazards, if any, of the products involved. In the interest of safety you should:-

- (1) Notify your employees, agents and contractors of the information on this sheet.
- (2) Furnish a copy to each of your customers for the product.
- (3) Request your customers to inform their employees and customers as well.

REFERENCE: DOT 4
ISSUE DATE: 08/06/2015

# 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

### **IDENTIFICATION OF THE SUBSTANCE OR PREPARATION**

PRODUCT NAME Delphi DOT 4

**APPLICATION** Brake & Clutch Fluid

**FEATURES** 

#### **COMPANY IDENTIFICATION**

Delphi Lockheed Automotive Limited P.O. Box 1743 Spartan Close Warwick Warwickshire CV34 6ZQ

Telephone Number: +44 1926 47 0000 Facsimile Number: +44 1926 47 2000

E-mail Address: delphi.lockheed.enquiries@delphi.com

Web Site: www.delphi.com\am\uk

#### **EMERGENCY TELEPHONE NUMBER**

Telephone Number: +44 0203 8161 400

\_\_\_\_\_



# SAFETY DATA SHEET PRODUCT

### SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

- 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



- · Signal word Warning
- · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements

P102 Keep out of reach of children.

P301+P310 IF SWALLOWED: Immediately call a doctor.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P302+P352 IF ON SKIN: Wash with plenty of water.

*P501* Dispose of contents/container to an authorized waste collection point.

- · 2.3 Other hazards
- Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture based on:polyglycols, glycol ether, inhibitors, tri methylene glycol borate

· Dangerous components	<b>5:</b>			
CAS: 161907-77-3				
EC number: 310-287-7	♦ Eye Dam. 1, H318			
CAS: 9004-77-7	Poly(oxy-1,2-ethanediyl), α-butyl-ω-hydroxy-	0-<30%		
NLP: 500-012-0	♦ Eye Dam. 1, H318			
CAS: 143-22-6	2-[2-(2-butoxyethoxy)ethoxy]ethanol	0-<30%		
EINECS: 205-592-6	🥎 Eye Dam. 1, H318			
CAS: 112-25-4	2-hexyloxyethanol	0-<17%		
EINECS: 203-951-1	💠 Skin Corr. 1B, H314; 💠 Acute Tox. 4, H302; Acute Tox. 4, H312			
CAS: 111-46-6	2,2'-oxybisethanol	0-<5%		
EINECS: 203-872-2	♦ STOT RE 2, H373;  ♦ Acute Tox. 4, H302			



# SAFETY DATA SHEET PRODUCT

CAS: 112-34-5	2-(2-butoxyethoxy)ethanol	0-<5%
EINECS: 203-961-6	<b>♦</b> Eye Irrit. 2, H319	
CAS: 111-77-3	2-(2-methoxyethoxy)ethanol	0-<3%
EINECS: 203-906-6	🗞 Repr. 2, H361d	
CAS: 112-59-4	2-(2-hexyloxyethoxy)ethanol	0-<2%
EINECS: 203-988-3	♦ Eye Dam. 1, H318; ♦ Acute Tox. 4, H312	

<sup>·</sup> Additional information: For the wording of the listed risk phrases refer to section 16.

#### **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- General information:

Keep quiet and cover.

Seek medical treatment.

Personal protection for the First Aider.

Take affected persons out into the fresh air.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

A person vomiting while laying on their back should be turned onto their side.

Induce vomiting, if person is conscious. Seek medical help.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear fully protective suit.
- Additional information Cool endangered receptacles with water spray.

### SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.



# SAFETY DATA SHEET PRODUCT

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- 8.1 Control parameters

· In	arodionts	with	limit 1	alues	that re	ากบร์หอ เ	nonitoring	at the w	orknlace

#### 111-46-6 2,2'-oxybisethanol

WEL Long-term value: 101 mg/m³, 23 ppm

#### 112-34-5 2-(2-butoxyethoxy)ethanol

WEL Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

(Contd. of page 3)

#### 111-77-3 2-(2-methoxyethoxy)ethanol

WEL Long-term value: 50.1 mg/m³, 10 ppm Sk

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



# SAFETY DATA SHEET PRODUCT

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

#### SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

· Appearance:

Form: Liquid

Colour:Colourless to amberOdour:CharacteristicOdour threshold:N/A-very low odor

pH-value at 20 °C:	7-10 (SAE J 1703)
Change in condition	
Melting point/Melting range:	<-50 °C (SAE J 1703)
Boiling point/Boiling range:	>230 °C (SAE J 1703)
Flash point:	>100 °C (IP 35)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	>300 °C (ASTM D 286)
Decomposition temperature:	>300 °C
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	1.05-1.09 g/cm³ (51757)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Soluble.
Partition coefficient (n-octanol/wat	ter): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
9.2 Other information	No further relevant information available.



# SAFETY DATA SHEET PRODUCT

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Reacts with acids, alkalis and oxidising agents.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity

	· LD/LC50 values relevant for classification:					
	ATE (Acute Toxicity Estimates)					
	D50 2959 mg/kg					
	D50 6013 mg/kg					
161907-77	7-3 ethanol, 2-butoxy-, manufacture of, by-products from					
Oral Li	D50 >2000 mg/kg (rat)					
Dermal Li	D50 >2000 mg/kg (rabbit)					
143-22-6 2	2-[2-(2-butoxyethoxy)ethoxy]ethanol					
Oral Li	D50 >2000 mg/kg (rat)					
Dermal Li	D50 >2000 mg/kg (rabbit)					
112-25-4 2	2-hexyloxyethanol					
Oral Li	D50 1484 mg/kg (rat)					
Dermal Li	D50 757 mg/kg (rabbit)					
111-46-6 2	2,2'-oxybisethanol					
Oral Li	D50 12565 mg/kg (rat)					
Dermal Li	D50   11890 mg/kg (rabbit)					
112-34-5 2	2-(2-butoxyethoxy)ethanol					
Oral Li	D50 5660 mg/kg (rat)					
Dermal Li	D50 4000 mg/kg (rabbit)					
111-77-3 2	2-(2-methoxyethoxy)ethanol					
Oral Li	D50   5500 mg/kg (rat)					
Dermal Li	D50 6540 mg/kg (rabbit)					
112-59-4 2	2-(2-hexyloxyethoxy)ethanol					
Oral Li	D50 4920 mg/kg (rat)					
Dermal Li	D50   1500 mg/kg (rabbit)					
. Duina ann in	ritant effect					

- Primary irritant effect:
- · Skin corrosion/irritation Irritant to skin and mucous membranes.
- · Serious eye damage/irritation Irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

Classification was made by OECD tests, conventional (calculation) method of the CLP directive (1272/2008), the present state of knowledge, analogy with a product of similar composition.



# SAFETY DATA SHEET PRODUCT

# SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

# SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
· ADR, IMDG, IATA · Class · Label · ADN/R Class:	Void - Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
· 14.6 Special precautions for user · Danger code (Kemler): · EMS Number:	Not applicable. - -	

MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:		
IMDG Limited quantities (LQ) Excepted quantities (EQ)	- Code: -	
· UN "Model Regulation":	UN-, -	



# SAFETY DATA SHEET **PRODUCT**

### SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- 1. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation,

Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

- 2. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 Local regulations.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H361d Suspected of damaging the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Repr. 2: Reproductive toxicity, Hazard Category 2

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2